



Dr Charles Daniels
Dr Richard Mather
Dr Tim Butler
Dr Emma Allsop
Dr Sarah Rowe
Dr Emma Funnell

Dr Leanne Bullock
Dr Sarah Oxenham
Dr William Aston
Dr Eva Baker
Goldmay Limited

Dewerstone Practice
Hampton Avenue
Torquay TQ1 3LA
Tel: 01803 316333
Fax: 01803 316393
Also at: Chatto Practice
104 Chatto Road
Torquay TQ1 4HY

Title Calling Name Surname
Home Full Address (stacked)

Short date letter merged

Dear Title Given Name Surname

Date of birth: Date of Birth
NHS number: NHS Number

Your free Covid-19 vaccination is now available for you.

Appointments

The Covid-19 vaccination provides the best protection against an unpredictable virus which has infected millions of people leading to serious illness and death. In order to comply with the strict social distancing measures needed to keep all our patients safe, the special conditions the vaccine needs to be stored in plus the very strict timescales for administering both vaccinations means that this can only be managed at a Torbay-wide vaccination centre and we are not able to administer it at individual GP practices. This centre is being run by all the practices in Torbay collaboratively so you will see members of our team there. The Torbay NHS COVID-19 Vaccination service is located at:

Riviera International Conference Centre (RICC), Chestnut Avenue, Torquay, TQ2 5LZ

Please read through this letter carefully to prepare for your vaccination appointments.

The vaccination is taken in 2 doses 10-12 weeks apart

The supply of the vaccine is restricted, and so patients are invited in strict order according to their risk by the government. Only those invited can have the vaccine at this stage. Eventually all the "at risk" categories will be invited for their COVID vaccination as and when supply allows over the coming months. If for any reason you cannot attend your vaccination appointment, or you have changed your mind about receiving the vaccination please call your GP practice as soon as possible to cancel the appointment. This is so we can reallocate your vaccine to another at risk patient.

The vaccines have an extremely limited shelf life so if you do not turn up for the appointment, then that vaccine may be spoiled and cannot be administered to someone else. If you decline at this time, we currently do not know when it will be offered again as we have restricted supply. It may be a few months until you are offered it again.

Attending your vaccination appointment and what to expect

- If you feel unwell on the day, have any of the COVID symptoms (high temperature, a new continuous cough or a loss or change to your sense of smell or taste) or you have been a close contact with a COVID positive case in the 14 days prior to vaccination, then please call your GP practice to advise and cancel the appointment. **DO NOT ATTEND THE VACCINATION CENTRE** as you will be putting other vulnerable patients and staff at risk.
- Please only arrive at ERC 5/10 mins before your appointment as there is limited parking on site.
- When you arrive at the venue, please enter via Chestnut Ave off Belgrade Road – there will be marshals on site to help direct you and manage the flow of traffic. Please follow their instructions.
- Only the named patient will be able to enter the building unless you need a carer to assist you. Drivers / family members will need to remain in the car. We can only vaccinate you as the named patient – we cannot vaccinate any carers or family members at this time.
- You will need to wear a mask inside the venue, unless you are medically exempt. This is to help protect you, the other vulnerable patients and staff on site.
- During your appointment you will be pre-screened with the COVID questions and clinically assessed to ensure that you are fit and well enough to be vaccinated.
- Please wear loose clothing with easy access to vaccinate your upper arm. Please keep bags/coats to a minimum.
- Following the vaccination, you may need to stay for a 15-minute clinical observation, this is a required precautionary / safety measure. You will be advised on the day whether this is necessary.
- It is possible that you may have some mild side effects from the vaccine and more information about side effects will be shared with you during your appointment.

Yours Sincerely

Chilcote Surgery



COVID-19 vaccination

A guide for adults

This leaflet explains about the COVID-19 vaccination, who is eligible and who needs to have the vaccine to protect them from Coronavirus.

What is COVID-19 or Coronavirus?

COVID-19 is caused by a new coronavirus, known as SARS-CoV-2. It was first identified in late 2019. It is very infectious and can lead to severe respiratory disease.

Many people who are infected may not have any symptoms or only have mild symptoms. These commonly start with cough, fever, headache and loss of taste or smell.

Some people will feel very tired, have aching muscles, sore throat, diarrhoea and vomiting, fever and confusion. A small number of people then go on to have severe disease which may require hospitalisation or admission to intensive care.

Overall fewer than 1 in 100 people who are infected will die from COVID-19, but in those over 75 years of age this rises to 1 in 10.

There is no cure for COVID-19 although some newly tested treatments do help to reduce the risk of complications.

About the types of vaccine

In the UK, there are two types of COVID-19 vaccine to be used once they are approved. They both require two doses to provide the best protection.

Who should have the COVID-19 vaccines?

The Joint Committee on Vaccination and Immunisation (JCVI), an independent expert group, has recommended that the NHS offers these vaccines first to those at highest risk of

catching the infection and of suffering serious complications if they catch the infection.

This includes older adults, frontline health and social care workers, care home residents and staff, and those with certain clinical conditions. When more vaccine becomes available, the vaccines will be offered to other people at risk as soon as possible.

Am I at increased risk from COVID-19 infection?

Coronavirus can affect anyone. If you are an older adult and have a long-term health condition, COVID-19 can be very serious and in some cases fatal.

You should have the COVID-19 vaccine if you are:

- an adult living or working in a care home for the elderly
- a frontline healthcare worker
- a frontline social care worker
- a carer working in domiciliary care looking after older adults
- aged 65 years and over
- younger adults with long-term clinical conditions (see next page)

The vaccine will also be offered to adults with conditions such as:

- a blood cancer (such as leukaemia, lymphoma or myeloma)
- diabetes
- dementia
- a heart problem
- a chest complaint or breathing difficulties, including bronchitis, emphysema or severe asthma

- a kidney disease
- a liver disease
- lowered immunity due to disease or treatment (such as HIV infection, steroid medication, chemotherapy or radiotherapy)
- rheumatoid arthritis, lupus or psoriasis
- liver disease
- having had an organ transplant
- having had a stroke or a transient ischaemic attack (TIA)
- a neurological or muscle wasting condition
- a severe or profound learning disability
- a problem with your spleen, e.g sickle cell disease, or having had your spleen removed
- are seriously overweight (BMI of 40 and above)
- are severely mentally ill

All people who are in the Clinically Extremely Vulnerable group will be eligible for a COVID-19 vaccine. Whether you are offered the vaccine may depend on the severity of your condition. Your GP can advise on whether you are eligible.

Who cannot have the vaccine?

The vaccines do not contain living organisms, and so are safe for people with disorders of the immune system. These people may not respond so well to the vaccine. A very small number of people who are at risk of COVID-19 cannot have the vaccine – this includes people who have severe allergies to a component in the vaccine.

Women of childbearing age, those who are pregnant, planning a pregnancy or breastfeeding should read the detailed information on

www.nhs.uk/covidvaccination.

Will the vaccine protect me?

The COVID-19 vaccination will reduce the chance of you suffering from COVID-19 disease. It may take a few weeks for your body to build up protection from the vaccine.

The vaccine has been shown to be effective and no safety concerns were seen in studies of more than 20,000 people.

Like all medicines, no vaccine is completely effective – some people may still get COVID-19 despite having a vaccination, but this should be less severe.

Will the vaccine have side effects?

Like all medicines, vaccines can cause side effects. Most of these are mild and short-term, and not everyone gets them. Even if you do have symptoms after the first dose, you still need to have the second dose. Although you may get some protection from the first dose, having the second dose will give you the best protection against the virus.

Very common side effects include:

- having a painful, heavy feeling and tenderness in the arm where you had your injection. This tends to be worst around 1-2 days after the vaccine
- feeling tired
- headache
- general aches, or mild flu like symptoms

Although feeling feverish is not uncommon for two to three days, a high temperature is unusual and may indicate you have COVID-19 or another infection. You can rest and take the normal dose of paracetamol (follow the advice in the packaging) to help you feel better.

Symptoms following vaccination normally last less than a week. If your symptoms seem to get worse or if you are concerned, call NHS 111.

If you do seek advice from a doctor or nurse, make sure you tell them about your vaccination (show them the vaccination card if possible) so that they can assess you properly.

You can also report suspected side effects to vaccines and medicines through the Yellow Card scheme. See the final page of this leaflet.

I have had my flu vaccine, do I need the COVID-19 vaccine as well?

The flu vaccine does not protect you from COVID-19. As you are eligible for both vaccines you should have them both, but normally separated by at least a week.

Can I catch COVID-19 from the vaccine?

You cannot catch COVID-19 from the vaccine but it is possible to have caught COVID-19 and not realise you have the symptoms until after your vaccination appointment.

The most important symptoms of COVID-19 are recent onset of any of the following:

- a new continuous cough
- a high temperature
- a loss of, or change in your normal sense of taste or smell

If you have the symptoms above, stay at home and arrange to have a test.

If you need more information on symptoms visit www.nhs.uk/conditions/coronavirus-COVID-19/symptoms

What do I do next?

After you have had the first dose you need to plan to attend your second appointment. You should have a record card with your next appointment written on it for an appointment in 21 or 28 days.

It is important to have both doses of the vaccine to give you the best protection.

Keep your card safe and make sure you keep your next appointment to get your second dose.

What should I do if I am not well when it is my next appointment?

If you are unwell, it is better to wait until you have recovered to have your vaccine, but you should try to have it as soon as possible. You should not attend a vaccine appointment if you are self-isolating, waiting for a COVID-19 test or unsure if you are fit and well.

Can I give COVID-19 to anyone, after I have had the vaccine?

The vaccine cannot give you COVID-19 infection, and two doses will reduce your chance of becoming seriously ill. We do not yet know whether it will stop you from catching and passing on the virus. So, it is important to follow the guidance in your local area to protect those around you.

To protect yourself and your family, friends and colleagues you still need to:

- practise social distancing
- wear a face mask
- wash your hands carefully and frequently
- follow the current guidance

www.gov.uk/coronavirus

Please read the product information leaflet for more details on your vaccine, including possible side effects, by searching Coronavirus Yellow Card.

You can also report suspected side effects on the same website or by downloading the Yellow Card app.



coronavirus-yellowcard.mhra.gov.uk

Remember

COVID-19 is spread through droplets breathed out from the nose or mouth, particularly when speaking or coughing. It can also be picked up by touching your eyes, nose and mouth after contact with contaminated objects and surfaces.

Vaccination, helping to protect those most vulnerable.

If you need more information on the COVID-19 vaccination please visit: www.nhs.uk/covidvaccination